Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (Original) A device for deterring birds from overhead cables such as power lines, which device includes:
- a clamping means for clamping the device on the overhead cable, the clamping means including
 - a first member having a hook portion for hooking over the power line; and
 - a second member biased towards the hook portion, wherein said biased member includes a biasing means; and
- at least one vane set rotatably attached to the clamping means wherein the first and second members are displaceable relative to each other between a first loaded position, wherein the biasing means is loaded, and a second clamped position, wherein the biasing means is at least partially unloaded thereby clamping the power line between the first member and the second member.
- 2. (Original) A device as claimed in claim 1, wherein the vane set is fluorescent thereby to increases the visibility of the vanes to the birds.
- 3. (Previously presented) A device as claimed in claim 1, wherein the vanes of the vane set are alternatingly coloured with a first colour and a second colour thereby to be visible to the birds both by day and by night
- 4. (Previously presented) A device as claimed in claim 1, wherein the vane set is reflective.

- 5. (Previously presented) A device as claimed in claim 1, wherein the vanes are configured to rotate in response to the wind.
- 6. (Previously presented) A device as claimed in claim 1, wherein the vanes are configured to rotate in response to vibrations from the power line.
- 7. (Previously presented) A device as claimed in claim 1, wherein the vanes are rotatably attached to the clamping means by a suspension means.
- 8-9. (Cancelled)
- 10. (Previously presented) A device as claimed in claim 1, wherein the biasing means includes a spring.
- 11. (Previously presented) A device as claimed in claim 1, wherein the second member includes a securing means configured to keep the second member in the first position ready for clamping onto the overhead cables
- 12. (Previously presented) A device as claimed in claim 1, wherein the second member includes a securing means configured to keep the second member in the second clamped position.
- 13. (Previously presented) A device as claimed in claim 1, wherein the first member is substantially C-shaped.
- 14. (Cancelled)
- 15. (Original) A device as claimed in claim 13, wherein the upper section of the C-shape is the hook portion for hooking over the overhead cable.
- 16. (Cancelled)

- 17. (Currently amended) A device as claimed in claim <u>11</u>, wherein the securing means is configured to be released by remote activation.
- 18. (Previously presented) A device as claimed in claim 1, wherein the first member includes a ratchet configured to assist in keeping the second member in the second clamped position.
- 19. (Original) A clamping means for clamping objects to overhead cables such as power lines, said clamping means including;
- -a first member having a hook portion for hooking over the overhead cable;
 - -a second member biased towards the hook portion; and
- -biasing means for biasing the second member towards the hook portion; and
- wherein the first and second members are displaceable relative to each other between a first loaded position, wherein the biasing means is loaded, and a second clamped position, wherein the biasing means is at least partially unloaded thereby clamping the power line between the first member and the second member.

20. (Cancelled)

- 21. (Previously presented) A clamping means as claimed in claim 19, wherein the second member includes a securing means configured to keep the second member in either the first or second position.
- 22. (Previously presented) A clamping means as claimed in claim 19, wherein the first member is substantially C-shaped.
- 23. (Original) A clamping means as claimed in claim 22, wherein the lower section of the C-shape is configured to house the second member in the first position when loaded.

24. (Original) A clamping means as claimed in claim 22, wherein the upper section of the C-shape is the hook portion for hooking over the cable.

25. (Cancelled)

26 (Original) A clamping means as claimed in claim 21, wherein the securing means is configured to be released from the first position by remote activation.

27-53. (Cancelled)